# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.




## HORSFORD'S, AUTUMN SUPPLEMENT FOR \$204

Washington, D. C.

# HARDY PLANTS

from a Hardy Climate



FRED'K H. HORSFORD CHARLOTTE, VERMONT, U.S.A.

## Introduction

Autumn planting of Hardy Perennials has become about as popular as spring planting with many who have tried it. In fact, many of my customers insist that their plants set in autumn have, as a rule, done better than those set in spring. I am inclined to recommend early autumn planting, so that the plants may have time to make some root-growth before winter, and also to recommend protecting all with a mulch the first year. After plants are established this is not so necessary, as the growth they produce will in a measure protect them the second winter. Bulbs which are entirely under ground can be planted later, but even these make a root-growth in autumn and are better set before cold weather comes.

Parties who wish to call me by telephone will please do so at 12.30 and 6.30 p. m. during the shipping season.

#### LILIES

Most of the Lilies of this list may be set in September, but a few like Auratum, and all the Speciosums, Sulphureum, Henryi and Maximowiczi Red, are not ripe until October. Orders will be filled from beds as long as my stocks last, but for the most part the Auratums, Candidums and Longiflorums will be imported.

For cultural directions and more definite description please

see Spring Catalogue, which has been mailed.

These prices do not include postage, but simply bulbs boxed and delivered to my nearest freight or express office. See spring list for free delivery by mail.

Lilium auratum. Ready in November   \$0   15   \$1   35   \$1   \$1   \$1   \$1   \$1   \$1   \$1   \$	Each	
L. Brownii		
L. Canadense (Meadow Lily)		
L. candidum (Madonna Lily). Should be set before October	L. Brownii 50	5 00
October	L. Canadense (Meadow Lily) 10	1 00
L. Chalcedonicum. Handsome scarlet flowers	L. candidum (Madonna Lily). Should be set before	
L. croceum. Golden yellow; blooms next after Dahuricum		1 40
huricum	L. Chalcedonicum. Handsome scarlet flowers 56	)
L. Dahuricum. No Lily in the world can be grown farther north and is more reliable in every way than this. It will soon increase and form clumps like the Tiger Lily		
farther north and is more reliable in every way than this. It will soon increase and form clumps like the Tiger Lily		1 15
than this. It will soon increase and form clumps like the Tiger Lily	L. Dahuricum. No Lily in the world can be grown	
like the Tiger Lily         12         1 15           L. elegans, var. atrosanguineum         Deep red         20           L. "var. atropurpureum         Darkest red form of Elegans         20           L. "var. aurantiacum multiflorum         A fine hardy and healthy form of this red-dish yellow flower         15           L. "var. Best Red.         A medium kind as to height; very vigorous and healthy         10         1 00           L. "var. Cloth of Gold         40         40           L. "var. fulgens (Batemaniæ)         Good height; erect; reddish salmon flowers; fine         15         1 30           L. "var. Incomparabilis         Red         30         30           L. "var. igromaculatum         A dwarf form, with salmon-yellow flowers; much later than most varieties         20         1 25           L. "var. Thunbergianum         per 100         \$6         10         1 00           L. "var. wablacei         A fine, low-growing hardy variety, almost as late as Nigromaculatum, and with reddish yellow flowers         10         1 00		
L. elegans, var. atrosanguineum. Deep red		1 15
L.       "var. atropurpureum. Darkest red form of Elegans	- ·	
L.   var. aurantiacum multiflorum. A fine hardy and healthy form of this reddish yellow flower		,
L.       "var. aurantiacum multiflorum. A fine hardy and healthy form of this reddish yellow flowerper 100, \$7.       15       1 10         L.       "var. Best Red. A medium kind as to height; very vigorous and healthy 10       10       1 90         L.       "var. Cloth of Gold	L. var. actoputputcum. Datkest ted form	3
hardy and healthy form of this reddish yellow flowerper 100, \$7.		,
dish yellow flowerper 100, \$7.   15   1 10		
L.       "var. Best Red. A medium kind as to height; very vigorous and healthy		5 1 10
height; very vigorous and healthy   10   1   90		, 110
L.       " var. Cloth of Gold		1 00
L.       "var. fulgens (Batemaniæ). Good height; erect; reddish salmon flowers; fine		0
L.		
L.       "var. Incomparabilis. Red       30         L.       "var. nigromaculatum. A dwarf form, with salmon-yellow flowers; much later than most varieties       20       1 25         L.       "var. Thunbergianumper 100, \$6.       10       1 00         L.       "var. umbellatum       15       1 20         L.       "var. Wallacei. A fine, low-growing hardy variety, almost as late as Nigromaculatum, and with reddish yellow flowers.       10       1 00		5 1 30
L.       "var. nigromaculatum. A dwarf form, with salmon-yellow flowers; much later than most varieties	· · · · · · · · · · · · · · · · · · ·	0
with salmon-yellow flowers; much later than most varieties		
L. "   var. Thunbergianum		
L. "var. umbellatum	later than most varieties 2	0   1   25
L. " var. Wallacei. A fine, low-growing hardy variety, almost as late as Nigromaeu-latum, and with reddish yellow flowers. 10 1 00	L. " var. Thunbergianumper 100, \$6 10	0 1 00
variety, almost as late as Nigromacu- latum, and with reddish yellow flowers. 10 1 00	L. " var. umbellatum 1	5 1 20
variety, almost as late as Nigromacu- latum, and with reddish yellow flowers. 10 1 00	L. " var. Wallacei. A fine, low-growing hardy	
•		
L. " Mixed 75	latum, and with reddish yellow flowers.	) 1 00
	L. " Mixed	75
L. excelsum. See L. testaceum.	L. excelsum. See L. testaceum.	

		_
Lilium Grayi. Dark orange-red; fine for cutting,	Each	Doz.
with white flowers. Earlier than most Lilies\$	0 25	\$2 50
L. Hansoni. See L. maculatum.		
L. Henryi. Somewhat like Speciosum, but has		
orange-yellow flowers. Rare	1 00	10 00
L. Humboldtii. See L. puberulum.		
L. Japonicum, var. roseum (Krameri)	20	
L. Krameri. See L. Japonicum roseum.		
L. Leichtlinii. See L. Maximowiczi.		
L. longiflorum. Long, funnel-shaped flowers, pure	15	1.05
white; fine	15	1 25
L. maculatum (Hansoni). One of the most permanent	75	
L. Maximowiczi. Yellow	75	
L. "Reddish form	20	1 50
L. monodelphum (Colchicum). A fine, early, creamy	20	1 50
yellow Lily, with flowers tipped with wine-color		
at base	60	
L. pardalinum. Orange-red, with lighter center	15	1 50
L. Philadelphicum. Erect; deep orange-red flowers.	12	1 15
L. pomponium. Red flowers	35	
L. '' var. Pyrenaicum. Yellow flowers	25	
L. puberulum (Humboldtii). A most beautiful kind.		
Plant deep in well-drained soil	50	
L. speciosum, var. album. Delicate white flowers	25	1 65
L. " var. Kraetzeri	30	
L. " var. roseum	25	
L. " var. rubrum. One of the best of the		
Japan Lilies; red and white flowers	15	1 25
L. sulphureum (Wallichianum superbum). Flowers		
long and large, funnel-shaped, sulphur-yellow within, chocolate-white without. A grand Lily.	1 00	10 00
L. superbum (American Turk's Cap Lily). One of		10 00
the taller growing kinds when well established		
in rich soil	15	1 25
L. testaceum (excelsum). A rare and fine Lily, with		
nankeen-yellow flowers on tall and graceful		
stems. Rather early in summer	50	
L. tenuifolium (Coral Lily of Siberia). Handsome scarlet flowers	20	1 40
	08	80
L. tigrinum (Tiger Lily) L. " var. plenescens (Double Tiger Lily)	15	1 35
2. var. pronoscons (Double Tiger Ent)		
	10	1 10
L. Wallacei. See L. elegans, var. Wallacei.		
L. Wallichianum superbum. See L. sulphureum.		

#### DAFFODILS, OR NARCISSI

Early-flowering bulbous plants, coming before the tulips and after the crocus. One of the most important groups; fine for cutting and of easy culture. Though any good garden soil suits, they prefer a rather stiff, deep soil, and if the situation is such that they are shaded from the sun a portion (a third or half) of the time, so much the better. They do well among shrubbery. To get the best results, they should be set in August or September, so as to make a good root-growth before winter. When late setting is done, the best results are postponed until the second season.

If by mail, add 6 cts, per doz, for those without stars, and 10 cts, per doz,

for those marked with a star	ets. p	er doz.
	Each.	Doz.
*N. bicolor Empress. Very large flowers; white peri-		
anth, rich yellow trumpet; strong grower, and fine for cuttingper 100, \$7\$	0 10	\$1 00
*N. bicolor Horsfieldii. Very large and early; yel-		
low trumpet and white perianthper 100, \$5	08	80
N. bicolor, Mrs. Walter T. Ware. A fine new sort, with broad white perianth and golden trumpet.	25	
N. bulbocodium citrinum (Hoop-petticoat Daffodil).	05	35
N. Burbidgei. One of the most charming for cutting. Clear white cup, margined bright cinnabar red; a beautiful early-flowering form of Poeticus, which comes before Poeticus ornatus. Very effective when bunched. The color of the cup is very rich when cut in bud and opened under glass per 100, \$1.	05	40
N. Burbidgei, John Bain. Large and broad white		
perianth, with small, citron-yellow cup and orange-scarlet edge	08	50
N. Henry Irving. Noted for its deep yellow, imbricated, wheel shaped perianth, and large and handsome yellow trumpet	10	75
N. incomparabilis, Queen Bess	05	45
*N. Johnstoni, Queen of Spain. One of the best of new Daffodils. Soft cream, delicate clear yellow trumpet; perianth same color, reflexing. Flowers vary slightly in size	10	1 00
	10	1 00
N. Leedsii. Silvery white, starry perianth: lemon- yellow cup, passing to white. A beautiful sweet- scented flower; fine for bouquets. per 100, \$1.50.	03	25
N. poeticusper 100, \$1.25	03	25
N. poeticus ornatus. One of the earliest of the Poet's Narcissi; a free bloomerper 100, \$1.50	05	35
N. princeps. Sulphur-yellow perianth and deep yellow trumpet. A fine variety	08	50
N. Jonquilla. Single yellow Jonquils; yellow, fragrant flowersper 100, 90 cts		25

Narcissus alba plena odorata (The Double Poet's	ach	Doz.
Narcissus). One of the most charming white-flowered sorts; fine for cutting	05	\$0 3 <b>5</b>
N. incomparabilis, Double (Butter and Eggs). A large and showy double variety. One of the		
largest of the double sortsper 100, \$2	05	40
*Mixed Daffodils, to naturalize in meadows, etc. A first-class mixture, comprising many of the best herein listed	05	30

#### CROCUSES

The ordinary spring-flowering Crocus will thrive in nearly all soils and positions.

Add 5 cents per dozen if to be sent by mail

Mixed	Crocuses	5	Doz. \$0 10	$^{100}_{\$0}60$
"	4.4	Striped	15	60
6.6	6.6	White	10	60
"	6.6	Yellow	20	1 25
"	"	Blue and Purple	10	60

### TULIPS IN MIXED COLORS

Tulips like good drainage, and when planted over a gravelly subsoil or bottom succeed best. It is a good plan to surround the bulbs with sand, unless they are put into a sandy soil. A depth of 4 inches is none too deep for cold climates. Set the bulbs 5 or 6 inches apart.

In ordering Tulips by post, add 6 cents per dozen for postage

	oz.	100
Large Early Single\$0	20	\$1 00
" Late "	25	1 25
" Early Double	35	2 00
" Late "	40	2 25
100 Tulips in the above four kinds, 25 of each, for \$1.25; 400 bulbs, 100 of each, \$4.		
Canary Bird	40	2 00
White Single	35	1 50
Duc Van Thol	25	
Mixed	20	1 00
Parrot	40	2 30
Artus. Single; bright scarlet	25	
Darwins, Mixed	40	2 00
Duke of York	40	
Queen of the Netherlands each, 20 cts		

#### **ERYTHRONIUMS**

#### (Dog's-Tooth Violets)

Early-blooming, bulbous plants, which must be set in autumn. They come up among the first flowers of spring, and are very interesting, both in flower and leaf.

	ach	Doz.
Erythronium Americanum (Common Adder-Tongue).  Handsome bright yellow flowers; hardy\$0	08	\$0 50
E. grandiflorum. A large yellow species from the Pacific coast	06	45

#### **FRITILLARIAS**

These like a sandy or gravelly soil, with good drainage.

Add 5 cents per dozen for postage for those without stars, and 10 cents for those marked with a star

*Fritillaria imp	erialis (Cr	own Imp	eria		15	\$1 30
F. Meleagris.	Various	shades	of	purple, light		
vellow, etc.					05	40

#### HYACINTHS FOR BEDS

Hyacinths like a light, loamy soil and full sun. A light coating of well-composted manure, if the ground is not already well supplied, will be of value. Plant about 3 inches deep, and if the best flowers are desired the bulbs should be from 7 to 9 inches apart.

Add 16 cents per dozen for postage if by mail

	Each	
Double Mixed	\$0 10	\$0 80
Single Mixed	09	70

#### TRILLIUMS

American Wood Lily, Indian Shamrock, or Three-Leaved Nightshade

#### For the Shady Corner

Like most early-blooming plants, Trilliums give better results the following spring when planted in autumn in time to make their regular root-growth, which seems to take place a few weeks after the stems have died. They form a very pretty group, which comes into bloom early, and whose leaves make a good display after the flower has passed. Trilliums like a light soil, with a mixture of leaf-mold or peat, and for most of them a little well-rotted manure will be beneficial. Although they may, as a rule.

be grown in the sun, a partial shade is the most natural place. They look best when in good-sized groups. In a good position they last almost indefinitely.

Add 10 cents per dozen if by mail	ach	Doz.
Trillium cernuum. White\$0		\$1 00
T. erectum. Purple	10	1 00
T. " albidum. White	10	1 00
T. nivale. White	20	1 75
T. grandiflorum. White per 100, \$2.50	05	40
T. sessile	10	1 00
T. "var. giganteum. White	15	1 25
T. erythrocarpum (Painted Trillium)	10	1 00



ENGLISH IRIS

#### BULBOUS IRIS


HARDY PLANTS FROM A HARDY CLIMATE	2	7
IRIS reticulata, var. Krelagei. Flowers reddish pur-	ch	Doz.
ple; early\$0	15	\$1 30
I. ", var. histrioides. Flowers bright blue; very early	20	1 50
I. Susiana (Mourning Widow). A large, striking species from Asia Minor. One of the best for		
pot culture	15	1 35
<ol> <li>Xiphium (Spanish Iris). Very fine bulbous flowering plants, coming into bloom soon after the German Iris, with blue, white and yellow flowers.</li> </ol>	05	35
I. xiphoides (English Iris). Large flowers in hand- some blue and white colors, about as tall as the		
Spanish Iris, and coming just after it	08	60
Miscellaneous Bulbs and Plan	ts	
Which, because they bloom early, or for other reaso	ns, a	re set

See my Spring Catalogue for cost of postage if sent by mail

in autumn.

See my Spring Catalogue for cost of postage if sent	Uy III	an	
E	ach	Do	Z.
Allium tricoccum (Wild Leek)\$0	10	\$1	00
Arisæma triphyllum (Indian Turnip)	12	1	00
Camassia Cusickii (Giant Camas)	10	ī	00
Campanula Raineri	15	-	25
Claytonia Virginica (Spring Beauty)	06		55
	00		00
Colchicum. A curious, hardy, bulbous plant, with			
foliage and fruit in early summer, while the			
flower comes in autumn. The foliage dies down			
before the flowers appear. Stems 3 to 6 inches			
high. Sometimes called the Autumn Crocus.			
C. autumnale. Reddish purple	08		75
C. " yar. album	08		70
C. variegatum. Rose-purple	06		65
Dicentra Canadensis (Squirrel Corn)	06		50
Dodecatheon Meadia	12	- 1	10
Eremurus robustus. See Spring List	50	-	
Leucojum æstivum (Summer Snowflake). Blooms			
last of April. White flowers, tipped green	05		50
Mertensia pulmonarioides (Virginica). The Virginia			
Cowslip. See Spring List	10	1	00
Ornithogalum Arabicum (Star of Bethlehem)	06		60
Platycodon (Campanula, or Chinese Bell-flower).			
One of the most attractive hardy perennials to			
people who like a blue or white flower. It should			
be planted so that the buds are an inch under.			
For cutting they are very fine, and last for			
many days.		_	
P. grandiflorum. Blue flowers	10	1	00
P. " var. album	25		
P. " var. autumnale	15	1	30

E	ach	Doz	
Platycodon Mariesi. More dwarf in growth\$0	12	\$1.1	15
Podophyllum peltatum (Wild Mandrake)	10	1 0	0(
Polygonatum biflorum (Smaller Solomon's Seal)	15	1 2	25
P. giganteum (Great Solomon's Seal)	20		



PLATYCODON GRANDIFLORUM (See page 7)

## Herbaceous Plants Not Offered in Spring List

Not prepaid; if by mail ask for price of postage	
Each	Doz.
Actæa alba\$0 15	\$1 15
A. spicata rubra	1 15
Actinomeris squarrosa	
Anemone Japonica, Mont Rose 15	

Aquilegia Sibirica. A fine purple-flowered Colum-	Each	Doz.
bine	0.15	\$1 25
A. fascicularis	15	ψ. <b>2</b> 0
A. Skinneri	15	
Arisæma Dracontium	15	
Arenaria lancifolia	12	
Armeria maritima.	12	
Aster multiflorus	15	
A. Tataricus	15	
A. lævis	15	
Astilbe Chinensis	20	
Baptisia australis	15	
Calameris incisa	15	
Caltha biflora	15	
Calla palustris	15	
Campanula persicifolia, var. grandiflora (Back-	20	
housii)	15	
C. fragilis	12	
C. Vidalli	15	
Chamælirium Carolinianum (Devil's Bit)	15	
Chrysanthemum parthenium fl. pl	12	1 15
Clematis integrifolia, var. Durandii	25	
Double Buttercup	10	80
Delphinium elatum	12	
D. grandiflora. Blue	12	1 25
D. "White	12	1 25
D. speciosum	12	
Dracocephalum nigricans	12	1 15
Dianthus superbus	12	1 25
D. barbatus atrosanguineus	12	1 10
Epimedium liliaceum	20	
Echinops Davuricus	15	
Helianthus divaricatus	10	1 00
Helenium autumnale, var. magnificum	20	
Iberis corifolia	15	
I. Gibraltarica	12	1 15
Iris Germanica, var. stenophylla	15	
I. " var. Judith	12	1 10
I. '' var. Rebecca	15	
I. " var. Garibaldi	15	
I. " var. Harold	15	
I. " var. Souvenir	12	

	Each	Doz.
Iris Germanica, var. Miss Hazeltine	\$0 15	
I. " var. Edinal	. 15	
I. " var. Walter Scott	. 15	
I. " var. Socrates	. 15	
I. " var. Honorable	. 15	
I. Sp., var. livida	. 10	\$1 00
I. verna	. 12	1 10
Phlox paniculata, var. White Lady	. 15	
P. '' var. The Queen	. 15	
P. '' var. Lucy Ballet	. 15	
P. " var. Marietta	. 15	
Pæonia albiflora, var. Jeanne d'Arc. Double white	. 45	
P. " var. rosea gloriosa	. 45	
P. " var. L'Excellente	. 45	
P. " var. Mons. D'Offrey	. 40	
P. " var. alba marginata	. 40	
P. officinalis rosea plena	. 35	
Polemonium Himalayense	. 12	
P. foliosissimum	. 15	
Pentstemon pubescens	. 15	
Phegopteris polypodioides	. 12	
Pansies, Snow Queen		35
P., English Show		35
P., Emperor William		35
P. aurea purpurea		35
P., King of the Blacks		35
Phlox pilosa	. 15	
Salvia verticillata	. 10	
Scabiosa caucasica	. 20	
Sedum atrosanguineum	. 20	
S. reflexum	. 12	1 15
S. pallidum roseum	. 15	1 15
Trillium cernuum	. 12	
Ulmaria palmata	. 15	
Veronica maritima	. 20	
V. Sp., Blue	. 08	80
Viola pubescens	. 10	
V. rotundifolia	. 12	
V. cornuta, Blue Perfection	. 10	
Vitis riparia (Frost Grape)	. 12	

#### WOODY PLANTS

WOODI ILMINIS	, ,	7.
Acer platanoides, var. Reitenbachi. 3 to 4 ft \$	Cach 0 60	Doz.
Æsculus Hippocastanum, var. Double White	50	
Ailanthus glandulosus (Tree of Heaven). 4 to 6 ft	40	
Acanthopanax pentaphylla. 3 ft	25	
Austrian Pine. 2 to 3 ft.	30	
Balsam (Abies balsamea). 12 to 15 in	20	
Bignonia grandiflora	25	
Catalpa speciosa. 5 ft	40	
Celastrus orbiculatus (Japan Bitter Sweet)	15	
Cornus circinata. 18 to 24 in	15	
Cotoneaster horizontalis. 1 ft	15	
Cratægus coccineus (Cockspur Thorn). 3 ft	20	
C. Oxyacantha (Hawthorn). 2 to 3 ft	15	\$1 15
Daphne Mezereum. 1 ft	20	
Deutzia crenata. 2 to 3 ft	20	
Hydrangea arborescens. 12 to 18 in	20	
Lilac, Common. 18 to 36 in	20	
<b>L.</b> , Common White. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	20	
Ligustrum Ibota, var. A hardy form	15	
Myrica cerifera, 12 in	15	
Nemopanthes fascicularis. 12 to 18 in	20	
Philadelphus Lemoinei. 2 ft	25	
Populus angustifolia. 4 to 6 ft., from Col	20	
Pseudotsuga Douglasii (Douglas' Spruce). 18 to 30 in.	40	
Rhus aromatica. 12 to 20 in	12	1 15
Rosa alpina. 2 ft	10	
Spiræa alnifolia. 2 to 3 ft	20	
Syringa, Marie Lemoine. 2 ft	65	
Viburnum Opulus (High-Bush Cranberry). 18 to 36 in.	20	1 50
V. cassinoides	20	

## Bargain List

I have offered for several years in my Fall Supplement this list of special bargains, which has resulted in a large trade in this way. These sets are made up of plants mentioned in my Spring List, and are offered cheaper in this way than in smaller lots because we have a larger stock of these, and in autumn we have more time to fill orders. These offers are not open to spring delivery, because then we cannot spare the time they require in filling. Those wishing to take advantage of any offers for shrubs, trees, etc., in this list, for spring setting, can get them in Novem-

ber, and cover them in any well-drained soil, leaving only the tips of the branches exposed, where they will keep in perfect condition, and may be set in spring as soon as the ground is ready. For cost of boxing trees and shrubs, see my Spring Catalogue. These prices do not include postage. Parties wishing these sets by mail will be given cost of postage upon application, where mailing is possible. We can ship safely by freight in autumn most of the plants we grow, even as far as California. These offers are subject to surplus stock not being sold. This stock is not a poorer grade than is used in filling orders for single or dozen lots. Evergreens should not be ordered after October 1, and deciduous trees and shrubs had better not be moved before October. Bulbs and plants which are entirely covered when set can be ordered until winter prevents.

Shrubs, trees and plants set in autumn, and mulched well before winter to prevent heaving, often do better than when set in spring, especially when spring setting is late. Trees may be banked up 6 to 10 inches with soil, shrubs mulched with 2 to 3 inches of straw manure, and herbaceous plants covered lightly with brush, pine boughs, buckwheat straw or any similar substance that will

protect without smothering.

Please do not ask us to divide up these offers nor to fill orders from this list after December.

	and the state of t	
25	Anemone sylvestris\$1	10
25	A, Japonica, 2 colors	85
	Aquilegia (Columbines). 2 kinds	
25	A. Canadensis	
25	American Larch, 2 feet	25
25	Aruncus astilboides	
25	Boltonia asteroides	
25	Box Maples. 5 to 6 ft	
10	Black Walnuts. 4 to 6 ft	
25	Campanulas. 4 kinds 1	
25		
	C. Raineri 1	
25	Cardinal Flowers	
25	Cornels, or Dogwoods. 3 to 4 ft	
25	Clethra alnifolia. 1 to 2 ft	
	Clematis. 3 kinds 1	60
25	C. orientalis	
25	Cone Flowers. 2 kinds	
25	Cornus candidissima. 2 to 3 ft	
25	Chimney Bell Flowers 1	
25	Coreopsis, 2 kinds	
25	Delphiniums, Kelway's Selection	55
25	Digitalis purpurea gloxinioides	
25	D. lanata	
25	D. ambigua 1	
15	Dodecatheon Meadia (Shooting Star) 1	
25	Dragon's Heads (Dracocephalum). 2 kinds	
25	European Larch, 1 to 2 ft	
15	English Daisies	25
25		40
~ 0	TITOTHE TIME TO CONTROL OF THE COURT OF THE	

25	Foxgloves. 3 kinds\$1	50
	Forsythia suspensa. 3 to 4 ft	50
25	F. Fortunei. 2 to 4 ft	50
25	Forsythias. 3 kinds	65
25	Gaillardia	45
20	Gypsophila paniculata	50
25	Heleniums. 2 kinds	50
25	Helenium autumnale	35
25	Hardy Chrysanthemums. 3 kinds	60
25	Hardy Maples. 3 to 5 ft. 3 kinds	00
25	Helianthus. 3 kinds	50
25	H. orgyalis	55
15	Hemerocallis. 3 kinds	50
20	Heliopsis. 2 kinds	35
15	Hardy Pentstemons. 3 kinds	15
25	Hop Vines	10
25	Hybrid Phlox. Mixed colors	20
20	Hydrangea paniculata grandiflora. 18 to 24 in	75
25	Hypericum elegans	00
25	Hypericum elegans	15
25	" 8 kinds	40
25	Iceland Poppies	35
		50
50 50		00
25	12 KINGS	
	O Killus 2	15 15
12	Plantain Lilies. 3 kinds	15 55
25		
25	Mixed Hollyhocks	
25 25		
-		
20	Moss Pinks (Phlox subulata)	
25	Perennial Sunflowers, 3 kinds	
25	Perennial Larkspurs. 3 kinds	
15	Perennial Poppies. 2 kinds. Pin Oaks. 4 to 6 ft.	10 00
10	Pin Oaks. 4 to 6 ft.	70
20 15	Philadelphus pubescens (grandiflorus). 2 to 4 ft	
25		60
	Pansies	
25	Single Roses. 3 to 5 kinds	
25		10
25		
50	5 Kinds	
25	Virgin's Bower Clematis	
25	Vines and Climbers. 4 kinds	
25	Viburnums. 4 kinds. 2 to 4 ft	
12	5 Kings. 2 to 5 It	
25	Veronicas. 3 kinds	
10	Red Cedars. Juniper. 3 to 5 ft	
	Witch Hazel (Hamamelis). 2 to 3 ft	
15	White Pines. 4 to 5 ft	
25	Sugar Maples. 3 to 4 ft	00

25	Virginia Creeper, or Woodbine	\$1	35
	Rosa rugosa. 1 to 2 ft		
25	Violets. 3 kinds	. 1	40
25	Horned Violets. 2 kinds	. 1	50
25	Silenes. 2 kind	. 1	50
	Stone Crops, or Sedums, in var. For rockwork		
25	Sedum spectabile	. 1	50
	Rock Soapwort (Saponaria ocymoides)		
20	St. Bernard's Lily (Anthericum)	. 1	35
20	Musk Mallows	. 1	50
20	Rosy Strife, or Lythrum	1	15

## List of Plants Which Come into Flower Between Early Spring and June 10

#### See Our Spring Catalogue for Descriptions

To the state of th	lach	T)
Actæa alba\$	aen 0 15	Doz. \$1 40
A. spicata, var. rubra, Shade	15	φ1 40
Adonis vernalis (Pheasant's Eye)	15	1 40
Alyssum saxatile compactum	12	1 25
Anemone nemorosa fl. pl. Shade	15	1 25
		1 25
A. pulsatilla	25	1 00
A. sylvestris	10	1 00
Aquilegia Canadensis	10	1 00
A. oxysepala	15	1 25
Arabis albida	12	1 15
Camassia Cusickii	15	1 25
Dodecatheon Meadia. Shade	12	1 10
Epimedium macranthum	15	
E. Muschianum, var. rubrum	15	1 25
Hepatica acutiloba. Shade	12	1 00
H. triloba. Shade	12	1 00
Iberis sempervirens and I. Tenoriana	15	1 25
Jeffersonia binata. Shade	15	1 35
Iris cristata	10	1 00
Lychnis alpina	15	1 20
L. dioica rosea	12	1 10
Mertensia pulmonarioides	15	1 25
Papaver alpinum	15	
P. nudicaule	12	1 10
P. orientale	15	1 20
Phlox subulata	15	1 10
P. reptans	15	1 35
Polemonium cæruleum	15	
P. Himalayense	12	
Primula officinalis	10	1 00
Sanguinaria Canadensis. Shade	10	80
Thalictrum dioicum. Shade	10	1 00
Tiarella cordifolia. Shade	12	1 00
Uvularia grandiflora. Shade	10	1 00
Viola alpestris	10	1 00
viola alpeatiis	10	1 00

	Each	Doz.
V. Canadensis. Shade	.\$0 10	\$1 00
Cypripedium acaule, Shade	. 15	1 25
C. candidum. Shade	. 20	1 75
C. montanum. Shade	. 15	1 25
C parviflorum. Shade	. 25	
All the Trilliums, See page 6.		
Daffodils, Tulips, Erythroniums, Fritillarias, etc.	2.	
See pages 3 to 5.		

## Partial List of Plants Which Usually Bloom Between June 10 and August 15

,	,		
		Each	Doz.
Achillea Filipendula			\$1 40
A. millefolium roseum		. 12	1 15
A. ptarmica, var. "The Pearl"		. 10	1 00
Aconitum Napellus		. 15	1 25
Single Mixed Hollyhocks			75
Anthemis tinctoria and Kelwayi			1 00
Aquilegia chrysantha			1 25
Armeria plantaginea (Sea Pink)		. 15	1 25
Asclepias tuberosa			1 00
Alyssum argenteum		. 15	1 25
Bocconia cordata		. 10	1 00
Baptisia australis		. 20	
Campanula Carpatica		. 15	1 25
C. Medium		. 10	1 00
C. pyramidalis		. 15	1 50
C. Raineri			1 40
Catananche cærulea		. 15	1 10
Callirrhoe involucrata			
Chrysanthemum coccineum			1 50
C. maximum			1 10
C., Shasta Daisy			1 25
Clematis recta			1 15
Coreopsis lanceolata			1 00
Delphinium grandiflorum		. 10	1 00
D. formosum			
Digitalis ambigua		15	1 25
D. gloxinioides	<b></b>	15	1 25
Echinacea purpurea			1 15
Echinops Ritrio (Globe Thistle)		15	
Erigaron glaucus		15	1 30
Euphorbia corollata			1 10
Funkia ovata and var. Thomas Hogg		20	1 60
Gaillardia aristata		12	1 10
Gypsophila paniculata (Baby's Breath)		15	1 25
Helianthus rigidus		10	1 00
Heliopsis Pitcheriana			1 10
Hemerocallis Thunbergii			1 75
Heuchera sanguinea		15	1 25
Iris lævigata (Japan Iris). See Spring List.			
Lathyrus latifolius		15	
•			

			Each	Doz.
Lilium auratum			\$0 15	\$1 35
L. superbum			15	1 25
L. Dahuricum				1 25
L. elegans atrosanguin				1 25
	num			1 25
Linum flavum			12	1 20
Lychnis Chalcedonica		<b></b>	15	1 15
L. coronata				1 25
Monarda didyma			20	1 60
Platycodon grandifloru				1 10
Rudbeckia (Golden Glo	w)		10	1 00
Trollius Europæus (Glo	be Flower)		15	
Ulmaria Filipendula			12	1 15
	r. fl. pl			1 35
Veronica spicata				1 00
Dracocephalum nigrum				1 25

### List of Plants Coming into Flower Between August 15 and Winter

	ach	D	oż.
Anemone Japonica, vars. rubra, rosea superba and			
Whirlwind\$0	15	\$1	50
Aster alpinus	15	1	35
A., Novæ-Angliæ	10	1	00
A., sp., var. Rob Parker	25		
Boltonia latisquama	15	1	25
B. asteroides	15		
Funkia subcordata	25		
Helenium autumnale	15	1	25
H. autumnale, var. superbum	15	1	40
H. nudiflorum, var. grandicephalum	15	1	40
Hibiscus militaris	15	1	35
H. Moscheutos	12	1	15
H. "Crimson Eye	15	1	20
Liatris cylindracea	10	1	00
L. pycnostachya	15	1	15
Lilium speciosum album	20	1	60
L. speciosum rubrum	15	1	25
L. sulphureum	00		
Phlox paniculata, Mixed Hybrids	10	1	00
P. paniculata, Separate Colors. See Spring List and			
list on page 10 of Supplement.			
Helianthus Maximiliana	20		
H. mollis	12	1	10
H. orgyalis	15	1	25
Platycodon autumnale	12	1	15
Bessera elegans. Winter in warm, dry place	06		50
Milla biflora. Winter in warm, dry place	08		50
mana sanda. Il inter in marin, ary prace	-		

## FRED'K H. HORSFORD Charlotte, Vermont

